

PT.OSG INDONESIA

Company Profile



- ◆ 1938 Founded Osawa Rashi Kensakusho
- ◆ 1963 Changed the name to OSG Corporation



Stands for

O for Osawa (Founder's Family Name)

S for Screw

G for Grinding



The first thread grinding machine.
(OSG made)


Founder
Hideo Osawa



OSG Products market share in Japan



TAP=54%



End Mill :
HSS 50%,
Carbide 25%



Gauge=25.4%




Drill : 21%



Holder



Forming Tools : 70%



Circular Saw

OSG Oversea Group Companies



★ Sales org.
★ Production and sales org.

The Americas

- ★ 1968 OSG Tap & Die (USA)
- ★ 1974 OSG Sulamericana de Ferramentas (Brazil)
- ★ 1988 OSG Canada
- ★ 1994 OSG Royco (Mexico)
- ★ 2001 Quality Carbide Tool (USA)
- ★ 2004 Sterling Die., Inc. (USA)
- ★ 2005 Nas Precision (USA)
- ★ 2006 OFP Amazonia (Brazil)
- ★ 2007 OSG Correct Tool (Canada)
- ★ 2008 OSG Argentina

Europe

- ★ 1997 OSG Europe (Belgium)
- ★ 1997 OSG Belgium
- ★ 1997 OSG France
- ★ 1997 OSG MAC World (the Netherlands)
- ★ 1999 OSG UK
- ★ 2000 OSG Scandinavia (Denmark)
- ★ 2002 OSG Comaher (Spain)
- ★ 2003 OSG GmbH (Germany)
- ★ 2003 OSG Italia
- ★ 2012 OSG Turkey
- ★ 2012 OSG Slovakia

Asia

- ★ 1970 Taiho Tool (ROC)
- ★ 1985 OSG Korea
- ★ 1990 OSG Asia (Singapore)
- ★ 1996 OSG Thailand
- ★ 1997 Da-Bao (Dongguan) Tool (China)
- ★ 2001 OSG Shanghai (China)
- ★ 2001 Carbide Cutting Tool (India)
- ★ 2004 OSG Shanghai plant (China)
- ★ 2005 OSG India
- ★ 2005 QINGDAO HAOTAI (China)
- ★ 2007 OSG Trading (China)
- ★ 2007 OSG Indonesia
- ★ 2007 Ningbo Dabao (China)
- ★ 2008 Fudian (China)
- ★ 2008 Kunshan Dabao (China)
- ★ 2008 OSG Vietnam
- ★ 2008 OSG Philippines

Engineering & Development



概要

- 商号 : PT. OSG INDONESIA
(日本本社: オーエスジー株式会社)
- 本社 : Gedung Oleos 2 Lt 3 Jl. Kebagusan I No.6, Pasar Minggu,
Jakarta Selatan 12740
- 設立 : 2007.Nov (2003年設立の駐在員事務所を引き継ぐ)
- 事業内容 : Cutting tool・Forming tool・Gauge・Trading。Regrinding
- 資本金 : US\$4,400,000
- 従業員数 : 47名(日本人5名、韓国人1名、現地スタッフ40名)
- 国内拠点 : 4拠点
- 代表取締役 : Yoneda Yasutaka (OSG ASIA PTE LTD 社長兼任)
- 関連会社 : 2社 PT.OSG TRADING INDONESIA
PT.SANWASEIKI INDONESIA
- 
- 南アジアネットワーク
- クアラルンプール
- シンガポール
- メルボルン
- ハノイ
- ホーチミン
- マニラ
- ジャカルタ


HISTORY

- 2002 Dec : Jakarta Representative office established
- 2006 Oct : Surabaya Representative office established
- 2007 Nov : Changed to PT. OSG INDONESIA
- 2007 Nov : Surabaya Branch Office Established
- 2007 Nov : Tangerang SOHO Established
- 2010 Aug : Cikarang Branch Office established
- 2012 Mar : Karawang Branch Office established
- 2013 Apr : Karawang Factory established
- 2014 Jun : Jakarta office relocation

OSG PRODUCTS



OSG INDONESIA SALES





**Jakarta
Head Office**

**Karawang
Office**
再研磨工場
在庫センター
ジャカルタより
東48Km地点

Cikarang Office
在庫センター
ジャカルタより東35Km地点



Surabaya Office
ジャカルタより東600km地点

国内サポート拠点 (続)

ジャカルタ本社



国内サポート拠点 (続)

チカラン支店





国内営業拠点

スラバヤ支店






国内営業拠点

カラワン支店



PT.OSG INDONESIA

Regrinding Factory



About Regrinding of PT. OSG

- OSG salesman will take care the every regrinding order in responsible manner.
- Supported by latest OSG Technology and Quality.
- High precision with latest grinding machine.
- Will undertake regrinding and recoating of none-OSG brand tools.

再研磨工場

カラワン KIIC内

2013年10月稼働



Total Area: 2,660 m²

Building Area: 1,473 m²

Regrinding
End Mill
Drill
Reamer
Tap
Gauge calibration






Location

Address : Jl. Maligi V Lot U3 Kawasan Industri **KIIC** Desa Mergakaya Kecamatan Teluk Jambe Barat Karawang Jawa Barat 41361

Telp : +62- (267) 863-3922
Fax : +62- (267) 863-3923
established : 2013 October



Machine①

5 Axis NC Grinding Machine

Regrinding Item

item Drill Straight, Step, Leading

End Mill Square, Ball, Radius

Tap chamfer、

Reamer

Material Carbide HSS

size $\phi 3 \sim \phi 32$

length 60mm~250mm



Machine②

5 Axis NC Grinding Machine for drill

Regrinding Item

Item Drill Straight, Step, Leading

material Carbide HSS

size $\phi 3 \sim \phi 16$

Length 50mm~300mm



Machine③

Manual tool grinder

Regrinding item

item Drill straight

Material Carbide , HSS

size $\phi 3 \sim \phi 16$

Length 60mm~200mm



Machine④

Universal tool grinder



Machine⑤

Lathe





COATING services


WDI
COATING

- » **WDI** Coating is designed for Hole-making tool
- » Multilayer structure coating
- » Great thermal dissipation (Compatible for high speed drilling)


High Toughness and Wear Resistance Multilayer Compound

	High-hardness Coating	High-toughness Coating	WDI® Coating
			
Wear resistance	High	Low	High
Shock resistance	Weak	Strong	Strong

Heat Dissipator and Wear Resistance Coating




Crack Propagation Suppressor Compound



WXL
COATING

- » **WXL** Coating is designed for Milling tools
- » Great Wear Resistance
- » Great Lubricity (Compatible for high speed milling)

Tool	Carbide Ball End Mill
Work Material	S50C
Milling Speed	200m/min (6,366min ⁻¹)
Feed	1.604mm/min (0.126mm/t)
Milling Method	Pocket Milling
Depth of Cut	ap = 1mm Pr = 2mm
Projection Length	4D
Coolant	Air Blow
Machine	Vertical Machining Center





在庫による即納体制と各種講習会の実施



5000点の在庫



セミナールーム



shaping your dreams